

YAK-008 133

Date 31.8.15

planting to 8th grade
2004

101 dt:2002/12/15

5129

not previously received any advance on this security. These materials are of an impishable nature and are intended for limited use on the work in connection with items for which rate finished work have been authorized. The order and execution by the contractor is recorded in divisional office.

11 MEMORANDUM OF PAYMENT

- 4) If a bill of previous payment is in divisional/sub divisional
or sent to the _____ C.D. No. _____ A. No. _____
5) If the payment is made in other mode than supplied, how made recovery of
A. No. _____ paid on the bill by cheque/cash

Table 1

- (c) Cash = cash balance + special value of cash bonds held in treasury
(d) Cash = cash balance + premium on division/special divisional cash bond
(e) Not a correct statement for consolidation

UNADJUSTED EFFECTS

- For more information, please contact the author at info@openstax.org or visit <https://openstax.org>.

TOTAL AMOUNT UNADJUSTED

Control offers includes _____
Controlled By _____ (In force)

Phone: 703-291-2000

4. *How soon after the incident did you begin to experience the following symptoms?*

 $\frac{1}{2} \frac{d\lambda}{d\alpha} = \frac{1}{2} \frac{d\lambda}{d\alpha} \frac{d\alpha}{d\alpha} = \frac{1}{2} \frac{d\lambda}{d\alpha} \frac{d\alpha}{d\alpha}$

• **Prevalence** – the proportion of the population with a disease at a particular point in time

Radical
Drama

Assistant Executive Engineer
Byatarayanapura Sub-division
KRIDL BBMP, Bangalore

Assistant Executive Engineer

Assistant Executive Engineer
Byatarayanapura Sub-division
KRIOL BBMP, Bangalore...

Accepted & Admitted For Rs. 16,87,645/-

Ch. Res. (14,58,994) (In Words)

$$10^{-2} \text{ g} \cdot \text{g}^{-1} \text{ s}^{-1}$$

lose

Institute of Career-making payers 50

For Rs. 2,38,651/- - Expenditure

(Faint handwritten notes at the bottom of the page)

Account Supp

Exe Engineer
B.B.M.P. Bangalore

Sl. No.	Items grouped under sub-heads and sub-works of the estimate	Unit	Previous		Present			Till	
			Measurements		Measurement			Up to date	
			Qty	Cost	Qty	Rate	Amount	Qty	Cost
1	Removing and resetting of footpath slab (P.No 255, L.No 37.56)	Sqm	906.00 ~~980.30~~	103718.88 ~~105,355.94~~				906.00	103718.88
2	KSRRB 300-1, Earth work excavation by manual means in ordinary soil involving an average horizontal throw up to 2 meters and an average lift up to 1.5m, excavated surface levelled and sides neatly dressed, the disposed earth to be levelled neatly after breaking of clods complete as per specifications (Item no 19.1, Page no 138, PWD SR 2014-15)	Cum	463.60 ~~321.12~~	35048.16 ~~39,396.67~~				463.60	35048.16
3	KSRRB 2-2.2 : Earth work excavation for foundation of buildings, water supply, sanitary lines and electrical conduits either in pits or in trenches 1.5m and above in width, in hard soil not exceeding 1.5m in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with load upto 50m. specification, No. KRS 2.1(b) / 2.3.5, No. 5/ Item No. 2.4/ PWD SR 2014-15	Cum	345.83 ~~399.10~~	91506.62 ~~79,142.70~~				345.83	91506.62

4	KSRB 2.6 : Providing and filling sand in foundation upto plinth to required depth for sub soil treatment including watering ramming with lead upto 50m. and lift upto 1.5 m. complete as per specifications. specification. No. KBS (P.No 6, I.No 2.13)	Cum	103.00 ~~102.97~~	202568.04 ~~2,02,509.03~~				103.00	202568.04
5	KSRB 4-1.3:Providing and laying in position plain cement concrete of mix 1:4:8 with OPC cement @180kgs, with 40mm and down size graded granite metal coarse aggregates @0.85cum and fine aggregates @0.57cum machine mixed,machine mixed,concrete laid in layers not exceeding 15cms.thick, well compacted in foundation,including cost of all materials,labour,HOM of machinery,curing complete as per specifications.Specification no KBS 4.1,4.2 (Item no: 4.3,Page no12, PWD SR 2014-15)	Cum	32.61 ~~32.23~~	158061.97 ~~1,56,220~~				32.61	158061.97

6	KSRB 4.2.2 : Providing and laying in position Reinforced cement concrete of design mix M20 with OPC cement @ 320kgs, with 20mm and down size graded granite metal coarse aggregates @0.69cum and fine aggregates @0.460cum with super plasterise @ 3lts conforming etc as per specification&direction of the engineer incharge of work(pwd sr2014-15,p.no13,sno4.11)	Cum	12.15 ~~11.89~~	73693.15 ~~72116.17~~				12.15	73693.15
7	KSRB 4.9.2; Providing T.M.T steel reinforcement for R.C.C work including straightening, cutting, bending, hooking, placing in position, lapping and / or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per specifications.Specificati on noKBS 4.6.3,TMT bars Fe550(pwd sr 2014-15,p.no17,s.no 4.46)	Qtl	4.86	38421.22				4.86	38421.22

8	KSRB 4-6.4 : Providing and removing centering, shuttering, strutting, propping etc., and removal of form work for vertical surface such as walls at any thickness, attached pilasters, buttresses, buttresses plinth and string course including cost of all materials,labour complete as per specification. Specification no.KBS 4.6.2 (pwd sr2014-15,p.no15/4.31)	Sqm	97.20	28448.50				97.20	28448.50
9	KSRB 14.6-2 : Providing and laying heavy duty cobble stones 60mm thick interlock pavers, using cement and coarse sand for manufacture of blocks of approved size, shape and colour with a minimum compressive strength of 281 kg per sqm over 50mm thick sand bed and compacting with plate vibrator etc as per specification & direction of the engineer in charge of the work.(Item no14.6,Page no98,PWD SR 2014-15)	Sqm	515.00	451459.30				515.00	451459.30
10	Providing and fixing Precast RCC Slabs as Per approved design, specification and Direction Engineer-in-Charge. (Approved Data Rate).	Sqm	437.70 ~~437.63~~	655674.60 ~~655569.74~~				437.70	655674.60

11	Providing and fixing precast solid concrete kerb stones made out of cc1:2:4 and finished with CM 1:3 plastering and finishing cutting etc.,complete as per specifications and directions of the engineer in charge of the work.P.NO25/S.NO5.29.1(PWD SR2014-2015)	NO,s	1608.00 ~~1471.08~~	574827.84 ~~525881.63~~			1608.00	574827.84
12	KSRB 15-17.5:Applying priming coat over new wood surface and/or wood based surfaces after preparing the surface after thoroughly cleaning oil,grease,dirt and forign matter,sand papering and knotting liquid wood filler,for varnish including cost of materials,labour,complete as per specificationsP.NO115/1 & 500	Sqm	296.00 ~~283.48~~	9910.08 ~~9490.91~~			296.00	9910.08
13	KSRB 15-17.6:Providing and applying painting two coats(excluding proiming coat)on new wood surface and/or wood based surfaces with ename paint to give an even shade,cleaning the surface of all dirt,dust and forign matter,sand papering including as per specifications and directions of the engineer in charge of the work.P.NO115/15.60.1)	Sqm	296.00 ~~283.48~~	24935.04 ~~23880.33~~			296.00	24935.04

14	KSRRB 500-2 Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old gunny bags and /or compressed air to receive bituminous treatment including cost of all materials, labour, HOM of machineries complete as per specifications. MORTH specification clause 501	Sqm	2255.00	6810.10			2255.00	6810.10	
15	KSRRB M400-17: Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers with paver in sub-base / base course on well	Cum	295.61 ~~295.61~~	425252.72 ~~425238.33~~			295.61	425252.72	
16	KSRRB M500-6, Providing and applying primer coat with S.S.bitumen emulsion on prepared surface of granular base such as WBM,WMM including cleaning of road surface and spraying primer at the rate of .60kg/Sqm using mechanical means complete as per specifications. MORTH Specifications No 502 (ITEM NO 21.6, Page no 157, PWD SR 2014-15)	Sqm		0.00	1066 ~~1064.70~~	35.21	37533.86 ~~37,488.08~~	1066.00 ~~1064.70~~	37533.86 ~~37,488.08~~

17	KSRB M500-13: Providing and laying bituminous macadam 50mm thick with 100-120 TPH hot mix plant producing an average out of 75 tonnes per hour using crushed aggregates of specified grading premixed with bituminous binder, transported to site, laid over a previously prepared surface with paver finisher to the required grade, level and alignment and rolled as per clauses 501.6 and 501.7 to achieve the desired compacted complete as per specifications. Mother specification No.504, 50-75mm compacted thickness(grading II) with 3.3% bitumen(P-159, It.21.17.2)	Cum			53.3 53.23	9262.08	493668.86 493020.51	53.30 53.23	493668.86 493020.51
18	KSRB 500-10:Tack coat:Providing and applying tack coat with bitumen emulsion pressure distributor at the rate of 0.20 kg per sqm on the prepared bituminous/granular surface cleaned with mechanical broom, complete as per specifications. MORTH specification No.503	Sqm			2931.5	14.59	42770.59	2931.50	42770.59

11. Providing and laying dense bituminous concrete using crushed aggregates of specific grading, premixed with bituminous binder as filler, transporting the mix to work site, laying with a paver finisher to the required grade, level and alignment, rolling with smooth wheel, vibratory and tandem rollers to achieve the desired compaction as per MORT Specification clause no 50, complete in all respects as per specifications, using 40-60 TPH capacity HMP with mechanical paviour grading -II (2-30mm) with 5% CRM 55 grade (Item no 21.21.5 Page no 160 2014-15)	Cum		89.79 87.85	10871.3	976132.23 9,56,130.83	89.79 87.85	976132.23 9,56,130.83
20 KSRRB M100-1 Loading and unloading of stone boulder/Stone aggregates/sand/kanker/doorun KSRRB M100-1 Placing tipper at loading point, loading with front end loader, dumping, turning for return trip, excluding time for haulage and return trip complete as per specifications (Item no 17.1 Page no 130. P.V.O. 2013-14)	Cum	809.43 820.24	55073.62 55809.12			809.43	55073.62
		292362.700	2931372.00		1589410000		1445323700
		321599	327451.0146		16823500	1689834	16823500
		29236	2931372		15294	16823500	16823500
		3283137.60			171490.38	16987400	16987400
		432.74	4462000		69764500	17,12,939.00	17,12,939.00

2000
P. 001
Ward No 04

15274

8

Assistant Executive Engineer
Yelahanka Satellite Town Sub Division
B&MP, Bangalore